

### CALSIM Water Resources Simulation Model

Modeling Support Branch
http://modeling.water.ca.gov
Office of SWP Planning
Department of Water Resources


# What is a Water Resources System Model?

- Mathematical (numerical) representation of a real physical system (prototype)
- Represents relationships among the components of a realworld system.
- Used to evaluate the system response to a given hydrologic input, operational criteria and any proposed actions or facilities to evaluate "what-if "scenarios
- Necessarily a simplification of the system it describes. It would not be possible to construct a model that accounted for all the minute interactions of a complex system.

#### **Model Description**

- Water Resources Planning Model
- MAKE Nodel Kri **ETMIETO** DAMPACAPIDADO OLIL SACISJRIDORU Resent Message Panel Addres Marke Table Williams OET1921 - SEP1994 Base Files Open Drawn was granders and a section of the Compan Files Open Street schematt General Tichematic Surface Aven Graph Display Matts Balance Paging Zeom Out STREET, STATE OF STREET, \$70 huce win postoble aut 1766 marks of regulators and Distance Distress
- Network of nodes and arcs
- Graphical Interface
- LP solver for routing water
- WRESL language for specialized constraints
- Monthly/Daily timestep

#### System Representation



#### Role of CALSIM

- Simulates Operations of SWP and CVP system facilities.
- Sacramento and San Joaquin River system and the Delta Operations.
- Accounts for system operational objectives, physical constraints, legal and institutional agreements and/or statutes.
- The model uses historical hydrological conditions, as modified, to reflect a given level of development.


#### **Current CALSIM Applications**

- CVP/SWP Water Supply Reliability Studies
- CALFED Bay-Delta Program
- CVPIA (b2) Evaluation
- SWRCB Water Rights Hearings Process
- CALFED ROD/EWA Operations
- Integrated Storage Investigations




## Trinity River. Sacramento River Feather River Socramento Kher Hight Bask Export DSA70 to DSA65 American River


#### North




# San Joaquin




# SWP South of Delta



# CVP South of Delta



#### Subsystem Isolation and Testing



Isolate component of interest by "cutting" free-body diagram


Fix flows, deliveries, or storages from other components to desired values

Test operation of isolated system in detail

#### **CALSIM Highlights**

- Input-driven model
- Ease of changing rules/operations
- Modular
- Interactive Computer Aided Negotiations (CAN)

#### Modular Input Structure




- Organization of similar rules in same folders
- Separation of time-series and relational data
- Separation of external modules

# User Interface:

# input/Output Analysis




# raphical & Tabular Display Sample



Godo row.


### Sample Monthly Table display

#### Maximum for Year




Minimum for Year


#### Sample SWP Delivery Reliability




## Sample CVP Delivery Reliability



# Sample Oroville End of September Storage



## CALSIM Homepage http://modeling.water.ca.gov



- BrowseDocumentation
- Download Model
- Download Sample Study
- Non-Proprietary
- Contacts